T: 281-340-9355 F: 281-340-9366

PUCILLO FAMILY PRACTICE P.A. WELLNESS CENTER

Family Medicine & Bariatrics

PFP August 2022: COVID Variant Vaccine, Monkey Pox, Children's Eye Health Month







Dr. Ron Pucillo, M.D.



Dr. Brian Tong, M.D.

Fun fact: August is named after Augustus Caesar, grandnephew of Julius Caesar -it is known as harvest month - awareness to eat more fruits and vegetables -people born in August are self-motivated, enthusiastic and energetic

August 2022 newsletter:

- COVID Variant Vaccine
- Monkey Pox
- Children's Eye Health Month

COVID Updates

Variant Booster


- On August 11th, 2022, FDA approved the emergency use authorization (EUA) of Moderna and Pfizer COVID 19 vaccine for the use as a single booster dose at least 2 months following the primary vaccination or previous booster.
 - o Moderna Bivalent. 18 and older
 - o Pfizer Bivalent. 12 and older

What is the difference between bivalent vs. monovalent

	Monovalent	Bivalent
Stimulate response against	1 antigen	2 antigens
Genetic material contained in the vaccine	Original COVID 19	Original COVID 19 + spike proteins from omicron subvariant BA.4 and BA.5
Vaccine	Original COVID 19 vaccine	COVID Variant Booster

Benefit of Bivalent vaccine


- better protection against the original and variant viruses
- as illustration on the right.
 Monovalent vaccine is good at providing protection for 1 type of virus. Bivalent vaccine will help to protect 2 types of virus, original and variant.



Monkeypox/orthopoxvirus

Prevalence (CDC)

<u>Demographic (CDC)</u>



- 1. Prevalence and Demographic
 - 19,962 confirmed cases as of 09/02/2022
 - More common in men in the age group of 20-50s and the LGBTQ community.
- 2. What are symptoms of monkeypox?

Fever, headache, muscle ache, swollen lymph node with **skin manifestations** - pimples, blisters, rash on face, mouth, hands, feet, chest, genitals





3. How does it spread?

- Direct contact via touch and secretions (kissing, touching, sex)
- 4. What can I do if I think I have been exposed to monkeypox?
- Contact your healthcare provider. 2 vaccines can be given within 4 days of exposure JYNNEOS or ACAM2000
- 5. How to test for monkeypox?
- Healthcare providers should contact health department and consider ordering orthopoxvirus PCR + other possible infections such as HSV, VZV.

Harris County - 832-927-0707 Fort Bend County - 281-342-6414

- 6. Are there treatments for monkeypox?
- Tpoxx (tecovirimat) antiviral medication to treat monkeypox. This medication was initially designed to treat smallpox.

August is Children's Eye Health Month

5 Common Eye diseases in children

- 1. Short sightedness
 - o difficulty seeing distant object



- 2. Lazy eyes
 - poor vision resulting from abnormal visual development in early childhood



- 3. Cross eyes
 - Two eyes do not align properly



- 4. Eye Injuries
 - Most common in sports and accidents



- 5. Blindness
 - o inability to see



What are common eye health recommendations?

- Screen time American Academy of Pediatric recommends screen time to no more than 1-2 hours a day. 20-20-20 rule - every 20 minutes looking at the computer, look at something 20 feet away for 20 seconds
- Eye exams 6 month, 3 years, 5-6 years, 6-18 years (every 1-2 years)

We thank you for allowing us to be part of your family in 2022. Please feel free to contact us if you have any questions.

Sincerely, Staff at Pucillo Family Practice